

PRODUCT DATA SHEET

FLORAXX TOP

Product Code: DMS205



Water-retaining drainage sheet with an integrated geotextile for perfect green roofs.

Innovative octagonal dimples for outstanding compressive strength. One sheet for drainage, water storage, and filtration. Easy and quick to lay out straight from the roll.

Floraxx Top is the optimum solution for flat roofs which are to be extensively planted with greenery that does not need much care. This sheet amalgamates the functions of filtration, water storage, and high-performance drainage! Its octagonal dimples additionally reinforced by ribs make it unusually compression-resistant, so that it will sustain even heavy loads safely. It provides an extremely serviceable and economical foundation

info@deltamembranes.com

www.deltamembranes.com

01992 523 523





BENEFITS

- Acting as a protection, filtration, and seepage layer, it retains 7L of water per m² within its thickness of 20mm.
- Thanks to its robust octagonal dimples additionally reinforced by ribs, the sheet will safely support even heavy loads.
- As the filtration layer is fused to the top of the sheet and does not need to be laid out separately, the substrate for planting may be spread directly on the sheet that prevents water from accumulating.



SPECIFICATION

- NBS Specification J40 295A flexible sheet tanking/damp proofing



ASSOCIATED PRODUCTS

- NP Drain
- Geo-Drain Quattro
- Delta Gas Barrier
- Floraxx
- Koster Waterproofing Products

PRODUCT DATA SHEET

FLORAXX TOP

Product Code: DMS205

TECHNICAL DATA

Material High Density Polyethylene

Compressive Strength c. 200 kN/m² (EN ISO)

Operating temperature -30°C to +80°C

